



26 510 000 奥菲莉亚智能控制 恒温明装浴缸/淋浴系统



## 产品描述 (1/2)

- Colour: 镀铬
- 包括:
- 花洒臂450毫米, 可水平转动
- &#160;上半托架可调节, 只需微调即可与现有钻孔适配
- 明装智能控制浴缸恒温龙头
- 允许更改:
- &#160;奥菲莉亚260头顶花洒 (26 455)
- 3种出水方式
- 雨淋式、智能雨淋式、喷射式
- 带球形接头
- 旋转角度  $\pm 15^{\circ}$
- 浴缸进水口
- &#160;奥菲莉亚110按摩式手持花洒, 白色表面 (27 221 001)
- 3种出水方式
- 雨淋式、智能雨淋式、按摩式
- 使用滑动元件高度可调节 (12 140 000)
- 银色花洒软管1750毫米(28 388)
- 高仪幻洒技术
- 高仪星闪镀铬饰面
- &#160;高仪冷触, 无烫伤风险
- 恒温热敏阀芯
- 带有滚花结构的PROGRIP把手
- 高仪乐可节技术减少耗水量
- 高仪38°C安全锁定
- 高仪安全锁定按钮Plus&nbsp;含43&deg; C附加温度限制器
- &#160;高仪智能控制, 按动即可开关, 旋转即可在乐可节模式到全面水流模式间进行水流调节
- &#160;综合高仪易可得淋浴置物盘
- 快速清洁装置, 防止水垢
- 内部水流导管使用寿命更长

Pure Freude  
an Wasser



## 26 510 000 奥菲莉亚智能控制 恒温明装浴缸/淋浴系统

### 产品描述 (2/2)

- 不打结设计，防止软管纠缠打结
- 适用即时热水器
- 最地流量7升/分钟

This exploded view diagram illustrates the assembly of a shower unit. The components are numbered as follows:

- 1:** A small cylindrical pin or spacer.
- 2:** A long, thin metal rod or shaft.
- 3:** A small circular washer or spacer.
- 4:** A small cylindrical pin or spacer.
- 5:** A small rectangular plate or bracket.
- 6:** A small cylindrical pin or spacer.
- 7:** A small cylindrical pin or spacer.
- 8:** A small cylindrical pin or spacer.
- 9:** A shower head.
- 10:** A shower head mounting plate or flange.
- 11:** A circular shower pan or base plate.
- 12:** A small cylindrical pin or spacer.
- 13:** A small cylindrical pin or spacer.

The diagram shows the shower pan (11) at the base, with the shower head (9) and its mounting plate (10) positioned above it. The shower pan is supported by a bracket (5) and a rod (2). The shower pan is secured with pins (1, 4, 12, 13) and washers (3). The shower head is connected to the main supply line via a small pin (7) and a washer (8).

\* Optional accessories